

AIRSPACE CO-ORDINATION NOTICE

Safety and Airspace Regulation Group



ACN Reference:	Version:	Date:	Date of Original
2021-04-0164	1.0	06/04/2021	23/03/2021

NAVAID CALIBRATION TALLA (TLA) VOR/DME

NDS

Subject to NOTAM: No

Date(s) of activity/Validity:

20th April 2021 – 31st October 2021

Times (ALL TIMES UTC)

08:00 – 17:00

Vertical Limits:

5,000ft AMSL – FL105

Allocated Mode 3A (SSR):

Tactically Issued by ATC

Aircraft Details:

Type: DA62
Callsign: FlightCal02

NDS Approved:

Subject to the Conditions in Section 2

Event Sponsor(s):

Richard Handford
NATS CTC
4000 Parkway
Whiteley
Fareham
PO15 7FL
01489 615365
Richard.Handford@nats.co.uk


Aircraft Operator(s):

Chris Tutt
Flight Calibration Services
Calibration House
17-19 Cecil Pashley Way
Shoreham Airport
Shoreham-by-Sea
West Sussex
BN43 5FF
01243 538245
ops@flight-cal.com

**ATS Units/
Controlling Agencies:**

Edinburgh	0131 333 6234
Glasgow	0141 840 8029
Prestwick ACC	01294 655300
Spadeadam	01697 749485

Geographical Limits:



Airspace Reservations:

Nil

Departure/Destination Aerodrome(s)

EGPK

ACN Issued by:

AS3

SECTION 1: CO-ORDINATION ARRANGEMENTS (GENERAL)

1. The pilot/operator is requested to telephone the ATC authorities on the cover prior to departure in order to notify or update the sortie details including area(s) of operation and planned levels (quoting the ACN Reference). A minimum of 24 hours' notice should be given unless specified in Section 2.
2. There may be other aircraft and/or activities outside Controlled/Regulated Airspace unknown to ATC.
3. The carriage and operation of a serviceable transponder (including Mode 'C') has been specified.
4. The pilot will be responsible for obtaining all necessary ATC clearances and for maintaining R/T contact with appropriate ATC authorities.
5. The pilot/operator will be responsible for obtaining prior clearances to enter any UK Danger Areas affected by the flight profile from the appropriate Range Control Authority unless this is specifically detailed in Section 2.
6. Other Unusual Aerial Activities (UAAs) may be notified to the CAA Safety and Airspace Regulation Group (SARG) and may take place within the airspace encompassed by this survey. The pilot/operator is to ensure that UK Daily NOTAM Nav Warnings are consulted prior to each flight.
7. All flights within Controlled Airspace are subject to the requirements of a Flight Plan in accordance with UK AIP ENR1.10. The ACN Reference should be entered into Field 18 of the Flight Plan together with any relevant 'special handling' codes.
8. Flight prioritisation and Non-Deviating Status is in accordance with the information specified on the ACN Cover. Such status may be afforded to part or all of the flight – see Section 2.
9. Availability of an ATS from Plymouth(Mil), Swanwick(Mil) or Western Radar is subject to unit capacity, priorities and limitations of radar and radio coverage. Minimum pre-flight notification as per UK AIP ENR 1.6 unless otherwise specified in Section 2 of this ACN.
10. The CAA actively encourages the use of Moving map technology in the planning and flying phases of flights to reduce the risk of airspace infringements.

PUBLICATIONS AND CHANGES

11. The activity area may lie within Controlled and Uncontrolled Airspace as well as airspace reserved for military use. Aircrew are to thoroughly familiarise themselves with UK airspace structures and procedures, in particular those laid down within the UK Aeronautical Information Publication (UK AIP), ENR 1.1 and be fully conversant with UK Flight Information Services in accordance with UK CAP 493 (MATS Pt 1).
12. The CAA VFR 1:500,000 and 1:250,000 charts and the UK AIP ENR 5 depict some, but not all aviation activity sites and amendments should also be checked. Please refer to <http://www.nats-uk.ead-it.com>
13. This ACN details specific coordination essential to the activity taking place and does not remove the need for aircraft operators to comply with national flight planning and notification procedures. Pilots and ANSPs are required to ensure that all related aviation sites are aware of this planned activity and of subsequent changes not captured within this document.
14. The Sponsor or Event Organiser should co-ordinate any changes to this ACN with SARG quoting the ACN Reference at the top of the page.

Airspace Regulation (Utilisation) – AS3
Email: AROps@caa.co.uk
Tel: 01293 983880

SECTION 2: CO-ORDINATION ARRANGEMENTS (SPECIFIC)

15. This ACN details the flight profiles required to conduct a routine calibration of the Talla VOR/DME.

16. **Dates.** Whilst the this ACN is valid until the 31st October 2021, the proposed flight date is the 20th April 2021.

17. **Notification.** The sponsor is to notify the agencies listed on page one of this ACN at least 24 hours prior to undertaking the task. In addition, the pilot is to contact the appropriate agencies at least 4 hours prior to departure to confirm final details and availability of an ATS.

18. **Priority.** This flight has been afforded Non-Deviating Status (NDS) whilst established on a measured run only, (*UK AIP ENR 1.1 (4.2) & CAP 493 – Section 1, Ch4, Para 17 refers.*). In order to reduce the impact to other airspace users, the controlling authority may request that the pilot hold, or accept radar vectors in order to make best use of the airspace, or to reduce overall delays.

19. **ATS Provision – Inside CAS.** Access to controlled airspace is subject to the prevailing traffic situation and controller workload. The pilot is responsible for obtaining a clearance to enter controlled airspace prior to penetration.

20. **N601.** The sponsor should be aware that the base of controlled airspace south of UTGOU changes from FL95 to FL125 dependent on the time of day.

21. **ATS Provision – Outside CAS.** Some elements of the calibration are within the lateral limits of the following ATS units:

- a. Edinburgh 121.205 MHz
- b. Glasgow 119.100 MHz
- c. Spadeadam 128.725 MHz

22. Provision of an ATS by any unit is subject to surveillance coverage, operating hours and controller availability/workload.

23. **Serials.** The aircraft is required to conduct the following serials:

<u>Serial</u>	<u>Description</u>	<u>Alt/FL</u>	<u>Notes</u>
A1	Position 20NM from TLA VOR Commence 20NM anti-clockwise Orbit	5,000ft	2 x 360° Orbits Start point subject to ATC to reduce impact.
A2	R009 from TLA to 72.6D (RNAV Route N864 TLA – NOVBA) (RNAV Route N864 NOVBA – IBOLU) (RNAV Route N864 IBOLU – ASNUD)	FL065 FL085 FL105	
A3	R158 from TLA to 67D (RNAV Route N601 TLA – UTOGU) (RNAV Route N601 UTOGU - POL)	FL085 FL095	
A4	R315 to 43D (Glasgow TALLA 6B SID)	6,000ft	
A5	R345 to 26D (Edinburgh TALLA 6C SID)	6,000ft	

SECTION 3

Area of Operation

24. Charts highlighting the area of operation are shown below. This is for illustrative purposes only and not for operational planning.

Chart 1 – Serial A1
20nm Anti-Clockwise Orbit at 5,000ft AMSL




Chart 2 – Serial A2
R009° from TLA to 72.6D (along N864)
TLA-NOVBA (FL65) | NOVBA-IBOLU (FL85) | IBOLU-ASNUD (FL105)




Chart 3 – Serial A3
R158° from TLA to 67D (along N601)
TLA-UTOGU (FL85) | UGOTU-POL (FL95)




Chart 4 – Serial A4
R315° to 43D at 6,000ft AMSL
 (Glasgow TALLA 6B SID)




Chart 4 – Serial A4
R315° to 43D at 6,000ft AMSL
 (Glasgow TALLA 6B SID)

