

AIRSPACE CO-ORDINATION NOTICE

Safety and Airspace Regulation Group



ACN Reference:	Version:	Date:	Date of Original
2023-07-0018	1.0	20/04/2023	14/04/2023

RADAR CALIBRATION WEMBURY PSR

NDS

Subject to NOTAM: No

Date(s) of activity/Validity:	Times - ALL TIMES UTC ¹
21 st April 2023 – 30 th June 2025	08:00 – 20:00 (07:00 – 19:00)

Vertical Limits:	Allocated Mode 3A (SSR):
8,000ft – 20,000ft AMSL (See Section 2)	0024

Aircraft Details:	NDS Approved:
Type: B200 Callsign: CLBxx	Yes – Subject to the conditions in Section 2

Event Sponsor(s):	Aircraft Operator(s):
Thales Flight Inspection Service Durham Tees Valley Airport Darlington DL2 1LU 01325 335346	Thales Flight Inspection Service Durham Tees Valley Airport Darlington DL2 1LU 01325 335346

ATS Units/ Controlling Agencies:	Geographical Limits:
Culdrose 01326 552212 Jersey ATCC 01534 446086 Newquay 01637 861301 Plymouth Mil 01752 557808 Swanwick Mil (78 Sqn) – West 01489 612417 Western Radar 01489 445560 <i>Info: Cardiff, Exeter, Swanwick ACC – GS West</i>	

Airspace Reservations:		
AARA 10W	South West (OL)	01489 612495
AARA 11	South West	01489 612495
AARA 12	Bristol Channel	01489 612495
EG D003	Plymouth	01752 286146
EG D004	Plymouth	01752 286146
EG D006A-C	Falmouth Bay	01326 552201
EG D007A-B	Fowey	01752 286146
EG D008A-C	Plymouth	01752 286146
EG D009A-B	Wembury	01752 286146
EG D013	Lyme Bay	01752 286146
EG D017	Portland	01752 286146
EG D023	Portland	01752 286146
EG D064B-C	South West MDA	01489 612495
PARA	Perranporth	07885 628772
TRA 001	South West	See Para 38

Departure/Destination Aerodrome(s)	ACN Issued by:
EGDY, EGNV	AS3

¹ [AIS Temporal Reference System](#): Daylight saving time is UTC plus 1 hour. The expression "summer period" indicates that part of the year in which "daylight saving time" is in force. The other part of the year is named the "winter period". Times applicable during the "summer period" are given in brackets.

SECTION 1: CO-ORDINATION ARRANGEMENTS (GENERAL)

1. The pilot/operator is requested to telephone the ATC authorities on the cover prior to departure in order to notify or update the sortie details including area(s) of operation and planned levels (quoting the ACN Reference). A minimum of 24 hours' notice should be given unless specified in Section 2.
2. There may be other aircraft and/or activities outside Controlled/Regulated Airspace unknown to ATC.
3. The carriage and operation of a serviceable transponder (including Mode 'C') has been specified.
4. The pilot will be responsible for obtaining all necessary ATC clearances and for maintaining R/T contact with appropriate ATC authorities.
5. The pilot/operator will be responsible for obtaining prior clearances to enter any UK Danger Areas affected by the flight profile from the appropriate Range Control Authority unless this is specifically detailed in Section 2.
6. Other Unusual Aerial Activities (UAAs) may be notified to the CAA Safety and Airspace Regulation Group (SARG) and may take place within the airspace encompassed by this flight. The pilot/operator is to ensure that UK Daily NOTAM Nav Warnings are consulted prior to each flight.
7. All flights within Controlled Airspace are subject to the requirements of a Flight Plan in accordance with UK AIP ENR1.10. The ACN Reference should be entered into Field 18 of the Flight Plan together with any relevant 'special handling' codes.
8. Flight prioritisation and Non-Deviating Status is in accordance with the information specified on the ACN Cover. Such status may be afforded to part or all of the flight – see Section 2.
9. Availability of an ATS from Plymouth Military, Swanwick Military (78 Sqn) or Western Radar is subject to unit capacity, priorities and limitations of radar and radio coverage. Minimum pre-flight notification as per UK AIP ENR 1.6 unless otherwise specified in Section 2 of this ACN.
10. The CAA actively encourages the use of Moving map technology in the planning and flying phases of flights to reduce the risk of airspace infringements.

PUBLICATIONS AND CHANGES

11. The activity area may lie within Controlled and Uncontrolled Airspace as well as airspace reserved for military use. Aircrew are to thoroughly familiarise themselves with UK airspace structures and procedures, in particular those laid down within the UK Aeronautical Information Publication (UK AIP), ENR 1.1 and be fully conversant with UK Flight Information Services in accordance with UK CAP 493 (MATS Pt 1).
12. The CAA VFR 1:500,000 and 1:250,000 charts and the UK AIP ENR 5 depict some, but not all aviation activity sites and amendments should also be checked. Please refer to <http://www.nats-uk.ead-it.com>
13. This ACN details specific coordination essential to the activity taking place and does not remove the need for aircraft operators to comply with national flight planning and notification procedures. Pilots and ANSPs are required to ensure that all related aviation sites are aware of this planned activity and of subsequent changes not captured within this document.
14. The Sponsor or Event Organiser should co-ordinate any changes to this ACN with SARG quoting the ACN Reference at the top of the page.

Airspace Regulation (Utilisation) – AS3
Email: AROps@caa.co.uk
Tel: 01293 983880

SECTION 2: CO-ORDINATION ARRANGEMENTS (SPECIFIC)

15. This ACN details the flight profiles for a calibration of the Wembury Primary Surveillance Radar (PSR). The Radar head is located on the coast, approximately 3nm southeast of Plymouth (501905N 0040627W). **This ACN relates to operations within the London FIR and Channel Islands CTR/TMA only.**

16. **This ACN is the third iteration and replaces ACN 2022-07-0101.**

17. **Notification.** The sponsor is to notify the agencies listed on page one of this ACN at least 1 week prior to the planned calibration. In addition, the pilot is to contact the appropriate agencies at least 24 hours prior to confirm that the flight will still take place and again at least 4 hours prior to departure to provide final details, agree a start time and confirm availability of an ATS.

18. **Priority.** This flight has been afforded Non-Deviating Status (NDS) whilst established on a measured run only and within Controlled Airspace (CAS), (*UK AIP ENR 1.1 (4.2) & CAP 493 – Section 1, Ch4, Para 17 refers*). Outside CAS and in between runs, the aircraft is categorised as CAT Z, (CAP 493 – Section 1, Ch4, Para 10c refers) and attracts no priority. In order to reduce the impact to other airspace users, the controlling authority may request that the pilot hold, or accept radar vectors in order to make best use of the airspace, or to reduce overall delays.

19. Within the Brest FIR, including the Channel Islands airspace, ATC are kindly requested to assist in facilitating this flight uninterrupted, however this is not guaranteed. The sponsor is responsible for coordinating and obtaining any permissions to enter French and/or Channel Islands Airspace.

20. **Levels.** The aircraft will be required to operate at the following vertical altitudes & heights. The D Value² will then need to be added or subtracted, (value to be confirmed by the sponsor prior to departure), and the converted to a flight level. The sponsor is responsible for this conversion and confirm the exact requirement with the controlling agency prior to each run.

- a. 8,000ft
- b. 15,000ft
- c. 22,000ft

21. **Radials.** The radials required by the aircraft are subject to wind speed and direction and may vary. Other radials are at the discretion of ATC and shall avoid straying outside of the London FIR. The expected radials are listed below:

- a. Primary: A single radial between 090°T and 330°T

22. Due to the potential interaction with the south coast Danger Areas (DAs), the preferred radial will be westerly or north westerly.

² D' Values are corrected from ICAN standard atmosphere to actual conditions, thus aircraft on inbound leg may be unable to maintain whole Flight Levels

23. **Serials.** The following serials will be required to be flown for the calibration. Altitudes stated are AMSL and, however require the D-Value to be added (notified by the pilot).

Table 1

Serial	Altitude	Range		Number of Runs
		Start	End	
1	8,000ft	60nm	42nm	3
2	15,000ft	68nm	44nm	3
3	15,000ft	54nm	40nm	3
4	22,000ft	68nm	34nm	2
5	22,000ft	68nm	Radar Overhead	1
6	22,000ft	62nm	46nm	3

24. These are the minimum number of runs and more may be required, subject to the radar performance.

25. **Orbits.** No orbits will be flown for this check.

26. **Primary Controlling Authorities.**

- a. Plymouth (Mil) are the primary controlling authority for those flights within the Danger Area complex, TRA or within 40nm of their in-use surveillance sensor.
- b. Swanwick Mil (78 Sqn) have agreed in principle to provide an ATS³ for those runs out with what Plymouth Mil is able to provide.
- c. Western Radar have agreed in principle to provide an ATS should Swanwick Mil be unable to provide a service.
- d. Jersey ATCC have agreed in principle to provide a service inside their airspace.

27. Within the Channel Islands TMA (FL80 – FL195), transfer of control should be made to Jersey ATCC, unless otherwise coordinated and notified to the appropriate French ATC sector.

28. **Flight at 22,000ft.** At this altitude, on crossing the FIR boundary, the aircraft will be in the Brest FIR (Rennes Sector). The sponsor has approached Breast ACC for approval in principle to access their airspace, which has been granted. **The sponsor is responsible for requesting access to Rennes Approach for access to their airspace.**

29. **Air Traffic Service (ATS) Provision – CAS.** Access to controlled airspace is subject to the prevailing traffic situation and controller workload. The pilot is responsible for obtaining a clearance to enter controlled airspace prior to penetration.

³ Subject to higher priority tasking.

30. **ATS Provision – Outside CAS.** The calibration area is within the coverage of the following units:

- | | |
|--------------------------------|-------------|
| a. Culdrose | 134.050 |
| b. Jersey Control ⁴ | 125.205 MHz |
| c. Newquay | 133.405 MHz |
| d. Plymouth Mil | 121.250 MHz |
| e. Swanwick Mil – West | 135.150 MHz |
| f. Western Radar | 132.300 MHz |

31. Availability of an ATS from a unit is not guaranteed, is subject to controller availability, unit workload and possible reduced hours of operations. Amendments to the published hours of availability, as listed in the UK AIP ENR 1.6 – Para 4.1, AD2 or UK Military AIP, shall be notified via NOTAM.

32. **ATS Provision above FL100.** This service is available to all aircraft flying outside Controlled Airspace in the UK FIRs between FL 100 and FL 190, and within active TRAs and is subject to Unit capacity. The Units providing this service together with their boundaries are depicted within the UK AIP on the chart ENR 6-12. ENR 1.6 (4.2) lists their hours of operation, the RTF operating frequency on which this service is normally provided and a telephone number for pre-flight contact. A FPL should be filed and include the following addresses:

- a. EGZYOATT Swanwick Mil (78 Sqn)
- b. EGTTFZC Western Radar

33. Amendments to the published hours of availability, as listed in the UK AIP ENR 1.6 – Para 4.2, shall be notified via NOTAM.

34. Between the hours of 18:00 to 08:00 (local time) on a weekday, at any time on a weekend or during a UK public holiday, Swanwick Mil (78 Sqn) require at least two weeks prior notice in order to obtain an ATS in support of this task.

35. **Air-to-Air Refuelling Areas (AARAs).** For details of the AARAs see the UK AIP – ENR 5.2. Activation is by NOTAM, and when active, information can be obtained from Swanwick Mil.

36. **Danger Areas (DAs).** Access to any DA is subject to range requirements and access is not guaranteed. The sponsor is to engage with the DA Authority at the earliest opportunity to coordinate access, noting that access may only be possible outside notified operating hours.

37. **Non-SSR Gliding Areas.** The sponsor should exercise caution when operating in these areas, as gliders without transponders may be encountered up to FL195. For info see the UK AIP: *ENR 1.1 (Para 1.12), ENR 5.2 (NSGA) and ENR6-63.*

38. **Temporary Reserved Areas (TRA).** The sponsor is responsible for complying with the requirements for access to any TRA iaw the UK AIP – ENR 1.1 (Para 5.1.5).


⁴ Alerting Service only when within the London FIR

SECTION 3



Area of Operation

39. Charts highlighting the area of operation are shown below. These are for illustrative purposes only and not for operational planning.


Chart 1 – Overview





Charts 4 & 5 – Serial 2
15,000ft - 68nm to 44nm



Charts 6 & 7 – Serial 3
15,000ft - 54nm to 40nm



Charts 8 & 9 – Serial 4
22,000ft - 68nm to 34nm



Charts 12 & 13 – Serial 6
22,000ft - 62nm to 46nm

