	OFFIC	CIAL - Public. This information	has been cleared for unrestricted distribution.				
AIRSPACE CO-ORDINATION NOTICE							
Safety and Airsp	ace Regu	lation Group					
ACN Reference:	Version:	Date:	Date of Original				
2024-4476	1.0	19/07/2024	09/07/2024	Civil Aviation Authority			
	NAVAID CALIBRATION						
DETLING (DET) VOR/DME							
			NDS				
Subject to NOTAI Date(s) of activity			Times - ALL TIMES UTC ¹				
27 th July 2024 – 26		<u>.</u>	2300 – 0530				
Vertical Limits:	5 th July 2020)					
			Allocated Mode 3A (SSR):				
2,500ft AMSL – 7,500ft AMSL			0024				
Aircraft Details: Type: DA	62		NDS Approved:				
Callsign: VOR02/FlightCal02			Yes – Subject to the Conditions in Section 2				
Event Sponsor(s):			Aircraft Operator(s):				
Chris Tutt Flight Calibration S Calibration House 17-19 Cecil Pashle Shoreham Airport Shoreham-by-Sea West Sussex BN43 5FF 01243 538245 operations@flight-	ey Way		Flight Calibration Services (Attn: Chris Tutt) Calibration House 17-19 Cecil Pashley Way Shoreham Airport Shoreham-by-Sea West Sussex BN43 5FF 01243 538245 <u>operations@flight-cal.com</u>				
ATS Units/ Controlling Agencies:			Geographical Limits:				
Southend Swanwick LTC		01702 538420 02380 401110					
Airspace Reservations:							
Nil							
Departure/Destination Aerodrome(s)			ACN Issued by:				
EGKA (Shoreham)			AS3				
EGRA (Sholeham)							

¹ <u>AIS Temporal Reference System</u>: Daylight saving time is UTC plus 1 hour. The expression "summer period" indicates that part of the year in which "daylight saving time" is in force. The other part of the year is named the "winter period". Times applicable during the "summer period" are given in brackets.

SECTION 1: CO-ORDINATION ARRANGEMENTS (GENERAL)

1. The pilot/operator is requested to telephone the ATC authorities on the cover prior to departure in order to notify or update the sortie details including area(s) of operation and planned levels (quoting the ACN Reference). A minimum of 24 hours' notice should be given unless specified in Section 2.

2. There may be other aircraft and/or activities outside Controlled/Regulated Airspace unknown to ATC.

3. The carriage and operation of a serviceable transponder (including Mode 'C') has been specified.

4. The pilot will be responsible for obtaining all necessary ATC clearances and for maintaining R/T contact with appropriate ATC authorities.

5. The pilot/operator will be responsible for obtaining prior clearances to enter any UK Danger Areas affected by the flight profile from the appropriate Range Control Authority unless this is specifically detailed in Section 2.

6. Other Unusual Aerial Activities (UAAs) may be notified to the CAA Safety and Airspace Regulation Group (SARG) and may take place within the airspace encompassed by this flight. The pilot/operator is to ensure that UK Daily NOTAM Nav Warnings are consulted prior to each flight.

7. All flights within Controlled Airspace are subject to the requirements of a Flight Plan in accordance with UK AIP ENR1.10. The ACN Reference should be entered into Field 18 of the Flight Plan together with any relevant 'special handling' codes.

8. Flight prioritisation and Non-Deviating Status is in accordance with the information specified on the ACN Cover. Such status may be afforded to part or all of the flight – see Section 2.

9. Availability of an ATS from Plymouth Military, Swanwick Military (78 Sqn) or Western Radar is subject to unit capacity, priorities and limitations of radar and radio coverage. Minimum pre-flight notification as per UK AIP ENR 1.6 unless otherwise specified in Section 2 of this ACN.

10. The CAA actively encourages the use of Moving map technology in the planning and flying phases of flights to reduce the risk of airspace infringements.

PUBLICATIONS AND CHANGES

11. The activity area may lie within Controlled and Uncontrolled Airspace as well as airspace reserved for military use. Aircrew are to thoroughly familiarise themselves with UK airspace structures and procedures, in particular those laid down within the UK Aeronautical Information Publication (UK AIP), ENR 1.1 and be fully conversant with UK Flight Information Services in accordance with UK CAP 493 (MATS Pt 1).

12. The CAA VFR 1:500,000 and 1:250,000 charts and the UK AIP ENR 5 depict some, but not all aviation activity sites and amendments should also be checked. Please refer to <u>http://www.nats-uk.ead-it.com</u>

13. This ACN details specific coordination essential to the activity taking place and does not remove the need for aircraft operators to comply with national flight planning and notification procedures. Pilots and ANSPs are required to ensure that all related aviation sites are aware of this planned activity and of subsequent changes not captured within this document.

14. The Sponsor or Event Organiser should co-ordinate any changes to this ACN with SARG quoting the ACN Reference at the top of the page.

Airspace Regulation (Utilisation) – AS3 Email: <u>AROps@caa.co.uk</u> Tel: 01293 983880

SECTION 2: CO-ORDINATION ARRANGEMENTS (SPECIFIC)

15. This ACN details the flight profiles required to conduct a routine calibration of the Detling (DET) VOR/DME.

16. **Notification.** The sponsor is to notify the agencies listed on page one of this ACN at least one week prior to undertaking the task. In addition, the pilot is to contact the appropriate agencies at least 4 hours prior to departure to confirm final details and availability of an ATS. The actual start time for the calibration will be subject to ATC approval.

17. Serial A1 terminates at the FIR boundary. This ACN does not provide authority to cross the FIR boundary, or infer any coordination with the French regulator.

18. **Priority.** This flight has been afforded Non-Deviating Status (NDS) whilst established on a measured run only and within Controlled Airspace (CAS), (*UK AIP ENR 1.1 (4.2) & CAP 493 – Section 1, Ch4, Para 17 refers*). In order to reduce the impact to other airspace users, the controlling authority may request that the pilot hold, or accept radar vectors in order to make best use of the airspace, or to reduce overall delays. At all other times, the flight is categorised as CAT Z, (*CAP 493 – Section 1, Ch4, Para 10c refers*,) and attracts no priority.

<u>Serial</u> <u>No</u>	Description	Altitude/FL	<u>Notes</u>
A1	R128 From DET to 43D (N57 DET-DEVAL)	7500ft AMSL	Likely to be required to be flown at a flight level
A2	R334 From DET to 36D (Stansted SID DET 2R)	3,000ft AMSL	(SS QNH)
A3	R260 From DET to 43D (London Gatwick SIDs KENET 3P/3W)	2,500ft AMSL	(KK QNH)

19. **Serials.** The aircraft is required to conduct the following serials.

20. Air Traffic Service (ATS) Provision – Controlled Airspace (CAS). Access to controlled airspace is subject to the prevailing traffic situation and controller workload. The pilot is responsible for obtaining a clearance to enter controlled airspace prior to penetration.

21. **ATS Provision – Outside CAS.** The calibration area is within the coverage of the following units:

- a. Southend Freq 130.780
- b. Swanwick LTC On request subject to ATC workload

22. Availability of an ATS from a unit is not guaranteed, is subject to controller availability, unit workload and possible reduced hours of operations. Amendments to the published hours of availability, as listed in the UK AIP ENR 1.6 – Para 4.1, AD2 or UK Military AIP, shall be notified via NOTAM.


23. **Danger Areas (DAs).** Access to any DA is subject to range requirements and access is not guaranteed. The sponsor is to engage with the DA Authority at the earliest opportunity to coordinate access, noting that access may only be possible outside notified operating hours.


SECTION 3

Area of Operation

24. Charts highlighting the area of operation are shown below. These are for illustrative purposes only and not for operational planning.


Chart 1 & 2 – Overview









Charts 3 & 4 – Serial A1 – 7500ft AMSL R128 From DET to 43D (N57 DET-DEVAL)






Page 6 of 9 OFFICIAL - Public





Charts 8 & 9 – Serial A3 – 2,500ft AMSL (KK QNH) R260 From DET to 43D (Gatwick SIDs KENET 3P/3W)



Page 8 of 9 OFFICIAL - Public

Chart 10 – Serial A3 – 2,500ft AMSL (KK QNH) R260 From DET to 43D

(Gatwick SIDs KENET 3P/3W)

